UNCLASSIFIED

AD NUMBER AD125250 **CLASSIFICATION CHANGES** TO:

unclassified

confidential FROM:

LIMITATION CHANGES

TO:

Approved for public release, distribution unlimited

FROM:

Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 12 APR 1957. Other requests shall be referred to Office of Naval Research, Arlington, VA.

AUTHORITY

30 Apr 1969, DoDD 5200.10; ONR ltr, 26 Oct 1977

UNCLASSIFIED

AD

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION ALEXANDRIA. VIRGINIA

DOWNGRADED AT 3 YEAR INTERVALS: DECLASSIFIED AFTER 12 YEARS DOD DIR 5200 10




UNCLASSIFIED



Reproduced by DOCUMENT SERVICE CENTER KNOTT BUILDING, DAYTON, 2, 0 H 10

This document is the property of the United States Government. It is furnished for the duration of the contract and shall be returned when no longer required, or upon recall by ASTIA to the following address: Armed Services Technical Information Agency, Document Service Center, Knott Building, Dayton 2, Ohio.


NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.







SERIAL NO.124



THE GEORGE NASHINGTON UNIVERSITY

LOGISTICS RESEARCH PROJECT



REPORT ON LOGISTICS PLANNING FACTORS

(Under ONR Contract N7oni-418 - Task Order 4)

(Revised 12 July 1951)

Classification	cancelled CONFIDENTIAL
sr changed to	
AUTH: TW.	fr. ARC and 12 apri 57 indienting
Ву - 24 р. м.	fr. ARC of 12 apr. 57 indicating

Date 12 apr. 57

This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18, U.S. Gode, Sections 793 and 754. The transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law.

57AA - 20100





THE GEORGE WASHINGTON UNIVERSITY LOGISTICS RESEARCH PROJECT

REPORT ON LOGISTICS PLANNING FACTORS

(Under ONR Contract N7onr-419 - Task Order 4)

PREFACE

The George Washington University Logistics Research Project, operating under Contract Number N7onr-41904 to the Office of Naval Research, presents herein a group of logistics planning factors which have been compiled from sources within the Naval Establishment.

Some of these factors, such as those referring to POL products, have been in use for a considerable period of time and their accuracy is reasonably reliable; others have been collected from the best sources available, but in general are untested and hence their reliability is uncertain.

The planning factors contained herein represent only the initial efforts of the Logistics Research project to furnish a complete coverage of the logistics resupply problems which are the primary responsibility of the Navy. Other factors covering the requirements of the Navy Air Arm, Navy advanced bases, Marine, Air Force and Army units operating in the field are currently being assembled and will be released for test and check upon completion.

It is the earnest desire of the Logistics Research Project to revise and correct these planning factors as necessary in order that they may truly reflect the actual requirements of the forces



ance that the results will be accurate. This task cannot be fulfilled without the cooperation of the personnel using and testing
these figures for the experience and background of officers trained
in logistics, strategy and tactics are invaluable as a testing
ground. Therefore, comments and criticisms, either favorable or
unfavorable, are invited.

The Logistics Research Project desires to express its appreciation to the Naval War College for the assistance and cooperation which its faculty has rendered from the inception of this task. In particular, the criticisms, comments and encouragement given the project by Captain H. E. Eccles and members of his Logistics Department staff are gratefully acknowledged.

11 May 1951

THE GEORGE WASHINGTON UNIVERSITY LOGISTICS RESEARCH PROJECT

REPORT ON LOGISTICS PLANNING FACTORS

(Under ONR contract N7onr-419 - Task Order 4)

in a convenient form a set of planning factors for the determination of requirements of an operation. The set of planning factors presented here is incomplete in that it covers only resupply requirements for naval vessels and is designed primarily for use at theater or task force levels. It is, however, sufficiently complete to illustrate the methods involved and to test the usefulness of the format.

The form and spirit of this work are based on C. B. Tompkins'

paper Numerical Simulation of an Operation. It is strongly recommended

that this paper be read thoroughly before any attempt is made to

utilize the tables presented here. This report should be regarded as

a supplement to Dr. Tompkins' paper in that it supplies the details

and tables necessary to carry out a real problem.

2. Table of independent potentials. In order to determine the logistics requirements for an operation it is necessary to describe quantitatively the operation or those parts of it upon which the requirements depend. This description is precisely the function of the table of potentials given in Appendix II. The first column of this table is a list of organizational units such as battleships, cruisers,

numbers which are additive and such that any particular row describes the potentiality of the corresponding organizational unit to consume commodities in a day of operations under specified standard conditions. Each of the columns is devoted to the consumption of commodities in a way essentially independent of the way described in other columns; here independence implies that the entry in no column is predictable with acceptable accuracy from the entries in the other columns by any formula not taking into account (in considerable detail) the type of organization. (For the present tables the above statement is not strictly correct. Because of the lack of more acceptable data the general stores column is a multiple of the complement column.)

This notion of independence can be made more explicit by comparing the potential for consuming food with the potential for wearing out clothing. Each depends directly on the total population available to eat the food or wear the clothes, and the consumption of either one can be obtained from the other. In this case the potentials are dependent. An example of a potential independent of either of the foregoing is the potential to consume ammunition which does not depend on the population but on the number and type of weapons that can be directed against the selected target.

Clearly in the case of dependent potentials either one of them could be chosen as the independent one. The set of independent

potentials that have been used is listed below:

NO.	POTENTIAL	UNIT
1	Consumption of	Average long tons consumed
	Black Fuel	per day under standard
		operating conditions.
II	Consumption of	Same as for I.
	Clean Fuel	
111	Complement	Number of men. This poten-
	· ·	tial differs from the others
		in that it is not a consump-
		tion. However, it is a con-
		venient description of many
		consumptions such as food and
		clothing.
IA	Consumption of men	Average number of men re-
		placed per day under stand-
		ard conditions.
V	Consumption of	Average number of measure-
	Spare Parts	ment tons consumed per day
		under standard conditions.
VI	Consumption of Large	Average number of square
	Equipments (Deck	yards of large equipment con-
	Cargo)	sumed per day under stand-
	,	ard conditions.
V'I I	Consumption of General	Average number of measure-
•	Stores	ment tons of general stores
		consumed per day under
		standard conditions.
III	Consumption of Ammo.	Average consumption in long
	Against Surface	tons per day under standard
	Targets	conditions.
1 X	Consumption of Ammo.	Similar to VIII
	Against Subsurface	•
	Targets	
x	Consumption of Ammo.	Similar to VIII
	Against Air Targets	

For convenience the numbers in the table have been restricted to four digits and for this reason these numbers frequently differ from the above units by a power of ten. This difference is adjusted in the conversion factor.

The Table of Standard Conditions and List of Conversion Factors.

In the foregoing description of the potentials the consumption rates were based on certain undefined standard conditions. If a commander is to make a quantitative comparison of his situation with the standard one, it is necessary that the latter be explicitly stated. It seems possible to do this, but so far as can be determined it has never been done in a completely satisfactory way. The table in Appendix II is a preliminary attempt to state the standard conditions. It is incomplete and should not be regarded as fixed in format. Considerably more work will have to be done before it becomes clear what form such a table should take. In spite of these defects the table does define the numbers in the table of independent potentials and can be used as a basis for the estimation of judgment factors.

The list of conversion factor's appearing in Appendix III is actually a list of planning factors. These factors convert the activity levels into logistics requirements. The list has four columns. The first column is devoted to a list of the commodity categories. These categories have been chosen on an arbitrary basis involving three things: convenience, type of shipping required, and existing planning factors. The second column gives

the independent potential upon which the consumption depends. The third and fourth columns contain the conversion factors and the units of measure.

4. The Three Factor Scheme -- A Sample problem. The use of these tables to compute requirements is quite simple and is based on the following equation:

Expected Consumption = Summary Potential x Conversion Factor x Judgment Factor.

The summary potentials are found from the table of independent potentials in a way that will be illustrated later. The conversion factor is, of course, taken from the list of conversion factors in Appendix III. The judgment factor must be based on the estimate of the situation and the plan of action. This factor reflects decisions of the commander to exploit his forces' potentials to a greater or lesser degree than normal. For example, the commander might decide that since refrigerated ships were in short supply the refrigerated portion of normal rations should be reduced by fifty percent. This means simply that the judgment factor for refrigerated provisions would be 0.50. In general, that is, under standard conditions, the judgment factor should be unity.

To illustrate the methods involved a sample problem of relative simplicity is worked out below. The problem is quite unrealistic and unsophisticated and is designed to illustrate only the computation and the use of the tables.

The forces and the judgment factors have been assigned

organizational	No. of	organizational	No. of
<u>unit</u>	Units	Unit	units
BB61	3	DD421	3
BB55	1	DD692	e
BB57	2	DD425	20
CB1	2	DD710	4
CA32	1	DM23	5
CA134	3	DMS19	3
CL(AA)53	4	AM136	2

The BB's and the DD's (except all DD425) are to remain in operation for 60 days; while the CB's, CA's, and the CL(AA)'s will operate for 75 days; and the remaining vessels for 90 days. The judgment factors are:

- 1.00 for Black Fuels, Clean Fuels, & their derivatives
- 1.00 for Personnel Replacement
- 1.20 for Spare Parts
- 1.00 for General Stores & Clothing & Small Stores
- 1.50 for all Ammunition
- 0.80 for Ships' Stores
- 1.00 for Dry provisions
- 0.75 for Refrigerated provisions

It should be noted that all of the judgment factors are unity except for Spare parts, Ammunition, Ships Stores and Refrigerated Provisions.

The summary potentials are obtained in Work Sheet 1
using the Table of Independent potentials in Appendix I.
4.1 Description of Work Sheet 1. The first column -- organizational number -- lists the number of the organizational unit for identification purposes. The second column -- unit days -- gives the number of days that the particular unit remains in operation.
For example, the organizational unit numbered 0300 is a destroyer

of the DD421 class. In this case there were three DD421's each operating for sixty days. Thus the unit days are $3 \times 60 = 180$. The other column headings are the same as those of the Table of potentials. To obtain the entries in these columns simply multiply the columns of the Table of potentials by the appropriate unit days. Then the total of each column gives a set of ten numbers called the summary potentials.

SECRET CONFIDENTIAL

8-E-0-R-E

WORK SHEET 1

SUMMARY POTENTIALS FOR RESUPPLY

(For a given period of operations)

ORG.	UNIT			··· ···			•- • •			
NO.	DAYS	-	=	111	IV	Α .	VII	VIII	1 X	*
1000	180	52,760		44,280	427,320	190,800	388,080	266,220	ł	197,460
0010	9	11,640	•	12,900	134,760	58,200	112,861	87,000	•	51,480
0200	120	19,560	,	25,800	275,280	115,680	225,720	174,000	ı	102,960
0100	150	23,400	1	30.000	251,250	131, 100	262,050	75,900	ı	99,300
0110	75	6,150	,	8,175	115,300	54,375	71,775	20,325	ı	24,450
0140	225	19,800	1	36,675	553,950	189,675	320,625	69,975	ı	83,475
0180	300	19,800	1	22,800	296, 100	169,200	201,000	23,400	•	103,500
0200	180	8.820	•	5,040	85,320	44,460	43,560	3,960	2,160	13,140
0320	1,800	108,000	,	59,400	853,200	444,600	520.200	39,600	21,600	131,400
0830	360	21,980	1	12,600	190,080	100,080	110,160	10,080	360	47,160
0340	240	16,080	1	8,400	131,040	64,800	73,440	9,120	240	26,160
0130	450	16,650	+	14,850	277,200	81,900	130,500	15,750	•	16,650
0515	270	7,290	1	6,750	147,980	38,880	59,130	2,700	•	7,580
0250	180		360	1.800	32,220	18,900	16,380	720	•	2,340
TOTAL	_	311,910	360	289,470	3,771,480	1,702,650	2,535,480	798,750	24,360	907,035

CONFIDENTIAL SECTION

4.2 <u>Description of Work Sheet 2.</u> In Work Sheet 2 the summary potentials, the list of conversion factors and the judgment factors are combined to give the expected consumption in each of the fourteen selected categories. The first column of Work Sheet 2 is a list of the fourteen categories. The summary potentials upon which the particular consumptions depend are entered in the second column. Column three contains the judgment factors and column four lists the conversion factors.

The calculation of requirements is now quite easy and consists of taking the product of columns two, three and four and entering the result into column five. The numbers in column five are the expected consumption of the fourteen commodity categories.

建建建

CONFIDENTIAL

WORK SHEET 2

COMPUTATION OF RESUPPLY REQUIREMENTS

	11	III	ΙV	Α	IA
	SUMMARY	JUDGMENT	CONVERSION	EXPECTED CONSUMPTION	
COMMODITY	POTENTIAL	FACTOR	FACTOR	CO1. II x CO1. III x CO1. IV	UNITS
Dlack Fuel	311.910	1.00	#4	811,910	1.1.1
Clean Fuel	360	1.00	+ 1	360	1.1
Personnel	3,771,480	1.00	10-2	3,772	MEN
Spare parts	1,702,650	1.20	10-3	2,043	M.T.
General Stores	2,535,480	1.00	10-3	8,535	H.T.
Ambunition Surface	798,750	1.50	10-3	1, 198	L.T.
Ammunition Subsurface	24,360	1.50	10_3	57	L.T.
Ammunition Air	907,035	1.50	10_3	1,361	L.T.
Lube 0118	311,910	1.00	867 x 10-6	808	. T.
Clothing & Small Stores	289,470	1.00	24 x 10-4	695	M.T.
Ships Stores	289,470	0.80	93 x 10 4	2, 154	X.7.
Dry provisions	289,470	1.00	23 x 10 0	6,658	H.T.
Befrigerated Provisions	289,470	0.75	21 x 10 3	6,079	H.T.
	-				

1 1L.T. -- long ton = 2240 lbs.

2M.T. -- measurement ton = 40 cubic feet

اً الله Confidential





APPENDIX I

TO LOGISTICS PLANNING FACTORS

	Short Title							•	~***	-	•		
	Nort Tit.		Serial	—	II	III	ΔI	>	I,	VII	VIII	XI	×
	NOTE TIES	·	or	Black	Clean		Personnel	Spare	Deck	General	Amero.	Anmo.	Ameno.
	5,000	•	Type No.	Fie!	Fuel	Complement	Replacement Parts	Parts	Cargo	Stores	Surface	Subsur face	AIr
		40 X 8	0061	01821	0000	02462	23744	1060	0000	21565	14793	20000	10973
	BB-35,000	TONS	0055	0194	0000	0215		0260		1881	1450	0000	0858
		TONS	0057	0163	0000	0215	2294	0964	0000	1881	1450	0000	0858
		TONS	0043	0083	0000	0213	2724	0840	0000	1865	0860	0000	0040
	BB-32,000	TONS	0045	0075	0000	0201	2724	0840	0000	1759	1110	0000	0846
		TONS	0001	0156	0000	0020	1675	0874	0000	1747	9050	0000	0662
110 CA-		TONS	0032	2800	0000	0100	1544	0725	0000	0957	0271	0000	0328
	CA-10, 000	TONS	0045	0081	0000	0112	1412	0721	0000	0860	0300	0000	0549
		TONS	9000	0075	0000	0153	1258	0734	0000	1339	0300	0000	0549
_	CA-17,000	TONS	0134	9800	0000	0163	2462	0843	0000	1425	0311	0000	0371
	CL- 9,700	TONS	0040	6400	0000	0122	1564	0617	0000	1068	0304	0000	0210
		TONS	0055	9800	0000	0121	1262	0632	0000	1058	0340	0000	0408
170 CL-1		TONS	0144	0063	0000	0127	1328	0751	0000	1110	0439	0000	0224
		O TONS	0053	9900	0000	9200	0987	0564	0000	0670	8400	0000	0345
200 CVB-	CVB-45,000 TONS	TONS	0041	0226	0000	0348	5278	1074	0000	3028	0129	0000	1153
	CV-27,000 TONS	TONS	6000	0177	0000	0264	3215	0913	0000	2307	0039	0000	0726
220 CVL-	CVL-11,000	TONS	0022	0113	0000	0137	1903	0579	0000	1201	2600	0000	0316
_	CVL-14,500		0048	0121	0000	0144	1992	0648	0000	1257	1000	0000	0316
	9,800	TONS	6000	0034	0000	2800	2032	0462	0000	0719	0143	0000	0505
_		TONS	9200	0052	0000	0095	1539	0413	0000	0830	0170	0000	0364
1Ref1	80°	Saef3	SRef.	2									
Spar -2	, a	Aper	689	(•	1					4 A	ļ

打田耳

CONFIDENTIAL

to the design control of the control	IV V Personnel Spare Replacement Parts 13284 0435 1177 0488 0474 0247 0474 0247 0474 0247 0528 0279 0528 0096 0222 0096 0222 0096 0222 0079 0222 0079	VIII General Stores 07115 0678 0242 0242 0242 0289 0306 0306	\$ 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
CVE - 7, 800 0055. Fige No. Fige No. Clean Fige CVE - 10, 900 0055. 0059 1 0000 1 0000 0000 0000 0000 0000 0000 DD - 1620 0425 0060 0000 0000 0000 0000 0000 0000 0000 DD - 2200 0425 0060 0000 0000 0000 0000 DD - 2425 0710 0060 0000 0000 0000 SS 0339 0000 0005 0005 SSA 0317 0000 0005 0005 SSG 0348 0000 0005 0005 SSR 0317 0000 0005 0005 SSR 0313 0000 0005 0005 SSR 0419 0000 0005 0005 SSR 0419 0000 0005 0005 DMS-1630 0010 0000 0005 0000 DMS-1630 0010 0000 0005	Personnel Spare Replacement Parts 13284 04356 1177 0488 0474 0247 0474 0247 0528 0279 0528 0279 0222 0096 0222 0079 0222 0079	General Stores 07115 0678 0242 0242 0242 0289 0306 0306 0070	Britania na para na maria dari a dari	
CVE-7,800 0055 0059 Fuel CVE-10,900 0105 0059 0000 DD-1620 0421 0049 0000 DD-1630 0425 0060 0000 DD-2200 0425 0060 0000 DD-2200 0692 0061 0000 DD-2425 0710 0060 0000 SS 0710 0061 0005 SS 0317 0000 0005 SSG 0348 0000 0005 SSR 0362 0000 0005 SSR 0362 0000 0005 SSR 0313 0000 0005 SSR 0419 0000 0005 SSR 0419 0000 0005 SSR 0419 0000 0005 SSR 0000 0005 0000 DH-2200 0010 0000 0000 DMS-1630 0010 0000 0000	Replacement Parts 13284 04356 1177 0488 0474 0247 0474 0247 0528 0279 0522 0096 06222 0079 0	Stores 07115 0678 0242 0289 0306 0306 0070		
CVE-7,800 0055. 00591 00001 CVE-10,900 0105 0073 0000 DD-1620 0421 0049 0000 DD-1630 0423 0065 0000 DD-2050 0425 0060 0000 DD-2200 0425 0060 0000 DD-2425 0710 0061 0000 DD-2425 0710 0061 0000 SS 0710 0067 0005 SSA 0710 0000 0005 SSA 0700 0005 0005 SSR 0700 0000 0005 SSR <	2 13284 04356 0 1177 0488 0 0474 0247 0 0247 0 0247 0 0247 0 0278 0 0278 0 0222 0 0086 0 0 0222 0 0096 0 0 0222 0 0096	07115 0678 0242 0289 0306 0306 0070	A STATE OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERT	
CVE-10,900 0105 0059 0000- CVE-10,900 0421 0049 0000 DD-1620 0425 0060 0000 DD-2050 0425 0060 0000 DD-2425 00710 0067 0000 SS 0339 0000 0005 SS 0336 0347 0000 0005 SSG 036 0000 0005 SSG 0378 0000 0005 SSG 038 0000 0005	1328* 0435 1177 0488 0474 0247 0474 0247 0528 0278 0528 0278 0272 0096 0222 0096	07111 0 0678 0242 0242 0289 0306 0306 0070		08643 0496 0078 0073 0131 0109 0001
CVE-10,900 0105 0073 0000 DD-1620 0421 0049 0000 DD-2050 0425 0060 0000 DD-2200 0425 0060 0000 DD-2425 0710 0061 0000 SS 0710 0067 0000 SSA 0339 0000 0005 SSG 0348 0000 0005 SSG 0348 0000 0005 SSR 0362 0000 0005 SSR 0313 0000 0005 SSR 0419 0000 0005 SSR 0419 0000 0005 SSR 0419 0000 0005 DMS-1630 0019 00027 0000 DMS-1630 0100 0000 00005	1177 0488 0474 0247 0474 0247 0528 0278 0526 0278 0272 0096 0222 0096	0678 0242 0242 0289 0306 0306 0070		0496 0073 0073 0131 0109 0001
DD-1620 0421 0049 0000 DD-1630 0423 0055 0000 DD-2050 0425 0060 0000 DD-2200 0692 0061 0000 DD-2425 0710 0067 0000 SS 0339 0000 0005 SSG 0334 0000 0005 SSG 0348 0000 0005 SSR 0001 0005 0005 SSR 0313 0000 0005 SSR 0419 0000 0005 SSR 0419 0000 0005 SSR 0419 0000 0005 SSR 0419 0000 0005 DM-2200 0019 0027 0000 DMS-1630 0010 0000 0000	0474 0247 0474 0247 0528 0247 0528 0278 0528 0273 0222 0096 0222 0096	0242 0242 0289 0306 0306 0070		0073 0073 0073 0131 0109 0001
DD-1630 0423 0055 0000 DD-2050 0425 0060 0000 DD-2200 0692 0061 0000 DD-2425 0710 0067 0000 SS 0417 0000 0005 SSA 0339 0000 0005 SSG 0348 0000 0005 SSG 0362 0000 0005 SSR 0419 0000 0005 DMS-1630 0019 0027 0000 DMS-1630 0010 0005 0005	0474 0247 0528 0278 0528 0278 0522 0096 0222 0096	0242 0289 0306 0306 0070		0073 0073 0131 0109 0001
DD-2050 0425 0060 0000 DD-2200 0692 0061 0000 SS 0710 0067 0000 SS 0339 0000 0005 SSG 0348 0000 0005 SSG 0348 0000 0005 SSR 0001 0005 0005 SSR 0362 0000 0005 SSR 0313 0000 0005 SSR 0419 0000 0005 SSR 0419 0000 0005 SSR 0419 0000 0005 DM-2200 0019 0027 0000 DMS-1630 0010 0000 0005	0528 0279 0546 0270 0272 0096 0222 0096 0222 0096	0289 0306 0306 0070		0073 0131 0109 0001
DD-2200 0692 0061 0000 SS 0710 0067 0000 SS 0339 0000 0005 SSA 0317 0000 0005 SSG 0348 0000 0005 SSK 0001 0005 0005 SSR 0362 0000 0005 SSP 0313 0000 0005 SSR 0419 0000 0005 SSR 0419 0000 0005 SSR 0419 0000 0005 DM-2200 0023 0027 0000 DMS-1630 0019 0000 0005	0528 0279 0272 0096 0223 0096 0222 0096	0306 0306 0070		0131 0131 0109 0001
DD-2425 0710 000 SS 0417 0000 SS 0539 0000 SSG 0317 0000 SSG 0348 0000 SSK 0001 0005 SSR 0001 0005 SSR 0362 0000 SSP 0313 0005 SSR 0419 0005 SSR 0419 0005 SSR 0419 0005 DM-2200 0023 0021 0000 DMS-1630 0019 0027 0000 DMS-1630 0010 0000 0005	0546 0272 0223 0222 0222 0222 0232	0306 0306 0070		0131 0109 0001 0001
\$\$ \$\$\$ \$	0222 0096 0222 0096 0222 0096	0070	#1. (Date a plane)	0109 0001 0001
SS SSA SSA SSG SSG SSG SSG SSG S	0223 0223 0222 0222 0222 0036	0070		0001
SSA SSA SSA SSG SSG SSG SSK SSK SSA OO01 0000 0005 SSR SSP OA13 0000 0005 SSR OA19 0000 DM-ZZOO 0019 0027 0000 DMS-1630 0010 0005	0222 0222 0222 0222 0079	0000		0001
SSA SSG SSK SSK SSK SSR SSO SSS SSP SSP OM10 OM05 OM10 OM05 OM10 OM05 OM10 OM05 OM10 OM05 OM10 OM05 OM00 OM00	0222 0086	_		•
SSG 0348 0000 0005 SSK 0001 0005 0005 SSO 0362 0000 0005 SSP 0413 0000 0005 SSR 0419 0000 0005 CM-5277 0005 0021 0000 DMS-1630 0019 0027 0000 AM-890 0100 0000 0005	0222 0079	0900	0001 0018	000
SSK 0001 0005 SSO 0362 0000 0005 SSP 0313 0000 0005 SSR 0419 0000 0005 CM-5277 0005 0021 0000 DM-2200 0023 0027 0000 DMS-1630 0010 0000 0005	6666	0072		000
SSO 0362 0000 0005 SSP 0313 0000 0005 SSR 0419 0000 0005 CM-5277 0005 0021 0000 DM-2200 0023 0027 0000 DMS-1630 0010 0000 0005	-	0067		000
SSP 0313 0000 0005 SSR 0419 0000 0005 CM-5277 0005 0021 0000 DM-2200 0023 0027 0000 DMS-1630 0019 0027 0000 AM-890 0100 0000 0005	7 0218 0074 0000	0062		1000
SSR 0419 0000 0005 CM-5277 0005 0021 0000 DM-2200 0023 0037 0000 DMS-1630 0019 0027 0000 AM-890 0100 0000 0005	0222 . 0077	0900		1000
CM-5277 0005 0021 0000 DM-2200 0023 0037 0000 DMS-1630 0019 0027 0000 AM-890 0100 0000 0005	0226 0087	2082	0001 0035	1000
DM-2200 0023 0037 0000 DMS-1630 0019 0027 0000 0000 AM-890 0100 0000 0000	1364 0329	0461	*** ***	0.00
DMS-1630 0019 0027 0000 AM-890 0100 0100 0000 0005	0616 0182	0290		0037
AM-890 0100 0000 0005	5 0548 0144 0000	6219		
	0229 0106	0086	••••	00 to
0525 AM-651 0136 0000 0002 0010	0179 0105	3691	` .	E 100
0530 AMS-270 0410 0000 0001 0003	0075 0194	6200 .		2000
0550 DE-(T.E.)-1400 0051 0019 0000 0021	1 0422 0171 0000	0.184	••••	000
1Ref1 Shef5 Shef5				

CONFIDENTIAL SECRET

主無計

TABLE OF INDEPENDENT POTENTIALS FOR RESUPPLY OF FLEET UNITS

CONFIDENTIAL

-		Kavy		• ••				•••				
		Serial	H	11	H	ΙΛ	>	Ā	VII	VIII	XI	×
I.B.K.		o	Black	Clean		Personnel	Eyare	Deck	General	Armo.	Armo.	6
puraber	Short fitle	Type No.	Fue1	Pue1	Complement	Replacement	Farts	Carso	Stores	Surface	Subsurface	AIr
				-		4	•		LC.	8 7		\$ T
0555	DE-(T.E.)-1350	0339	0016	- 0000	0021	0252	0172	0000	0184	0035	0016	0001
0990	DE-Diesel-1200	6600	0000	0010	0019	0476	0178	0000	0169	2000	0000	0026
0565	PC-295	0461	0000	0003	0007	0147	0073	0000	0058	2000	000	0011
0290	PCE-640	0881	0000	2000	6000	0273	0273	0000	2800	2000	0000	0055
0575	Pcs-251	1376	0000	2000	9000	0104	0073	0000	0048	2000	0000	1100
0880	T-33	0613	0000	2000	0002	0044	0002	0000	0017	0000	0001	2000
0090	AGC-7150	1000	0014	0000	0016	1318	0489	0000	0144	0000	0000	0600
0605	APA-10, 210	0018	0031	0000	0033	0631	0236	0000	0289	6000	. 0000	0050
0608	APA-8429	0021	0024	0000	0033	0631	0236	0000	0289	6000	0000	0029
0610	APA-10,812	0025	0033	0000	0033	0631	0236	0000	0289	6000	0000	0028
0615	APA-8, 100	0033	0027	0000	0038	0952	0244	0000	0336	9000	0000	9500
0620	APA-6,720	0117	9200	0000	0031	0298	0261	0000	0274	0033	0000	0053
0625	AKA-7.000	0012	0025	0000	0023	0616	0217	0000	0204	6000	0000	0040
0630	APD-1400	0037	0021	0000	0017	0379	0187	0000	0116	2000	0000	0024
0635	APD-1400	1900	0014	0000	0017	0283	0187	0000	0152	2000	0000	00 24
0840	DEC-1400	DE217	0018	0000	0021	0312	0172	0000	0184	0035	0000	- 1 6 00
0845	PCC-315	0463	0000	0001	2000	0152	8800	0000	0058	2000	0000	00 11
0650	PCEC-640	0873	0000	2000	6000	0219	6600	0000	0082	0003	0000	0037
0655	TSV-5000	0001	0028	0000	6200	2890	0322	0000	0340	8000 :	0000	0036
9660	LSD-4490	1000	0045	0000	0035	0815	0255	0000;	0307	0003	0000	0044
	L8T-1625	0001	0000	2000	0011	. 0243	0142	0000:	6600	1000	. 0000 .	0038
0670	LSM-520	0001	0000	0003	9000 ;	9800	0094	0000	0052	2000		0013

-111-

TREf.-1 TREf.-3 SRef.-5
ZRef.-2 *Ref.-4 GRef.-6

NTIAL SECTION

CONFIDENTIAL

HHE

CONFIDENTIAL

9-K-6-R-K-P

TABLE OF INDEPENDENT POTENTIALS FOR RESUPPLY OF FLEET UNITS

		Navy						·•				
		Serial	-	П	III	ΔI	>	M.	VII	VIII	Ħ	×
1. B. M.		6	Black	Clean		Personnel	Spare	Deck	General	Armo.	Armo.	Ammo.
rumber	Short Title	Type No.	Fuel	Fue1	Complement	Replacement	parts	Cargo	Stores	Surface	Surface Subsurface	AIF
0675	LSIL & M-209	0351	0000	0001	00032	00434	01036	0000	00285	00013	20000	20000
0890	LSFF, LSSL-234	0367	0000	1000	0003	0043	0103	0000	0200	0001		0003
0665	LSU-143	0501	0000			0014	0049	0000	0011	0001	0000	0001
9040	AD-9,450	0014	00238	0000	01089	356511	108912	0000	094210			0071
0701	AD	0016	0030			. 2599	1063	0000	0711	2000	0000	00387
0702	AD	0050	0012	0000	0061	1954	1008	0000	0711	8000		0076
0703	AD-8, 165	0022	0012	0000	0081	1964	1008	0000	0711	9000	0000	0600
0704	AD-8,165	9200	0030	0000	0081	1964	1008	0000	0711	2000	0000	0038
0110	AE	0003	0000	2000	0027	0468	0210	0000	0232	0012	0000	0035
0711	AE	0010	0000	6000	6200	0523	0187	0000	0254	4000	0000	0035
0712	VE.	0000	0000	0004	0027	0317	0181	0000	0232	0000	0000	0035
0713	AE-steam	0012	0016	0000	0028	0359	0239	0000	0242	0011	0000	0049
0240	AF-Steam	0010	0014	0000	\$200	0450	0217	0000	0207	2000	0000	0000
0721	AF-Steam	8400	9000	0000	0024	0450	0204	0000	0206	2000	0000	0000
0722	(A)	0011	0000	0005	0023	0510	0202	0000	0198	0001	0000	0000
0723	(s.	0020	0000	₩000	8000	0153	0183	0000	0000	1000	0000	0000
0240	AGB-3, 500	0001	0000	0013	0031	.0728*	0224	0000	0274	0001	0000	0050
. 1240	AGS-steam	0015	0032	0000	0038	0247*	0187	0000	0336	0001	0000	0034

11Re	12 Re
9Ref2	10 Ref 5
1 Ref1 3 Ref5 7 Ref3 9 Ref2 11 Re	8Ref1
5Ref5	6Ref6
3Ref3	4Ref4
1Ref1	2Ref2

Osteroson

- 1 A

鈕鈕匡

*NOTE:

TABLE OF INDEPENDENT POTENTIALS FOR RESUPPLY OF FLEET UNITS

G aranga	1/4 =·	l'avy										
		Serial	-	I	III	IV	>	I	IIA	VIII	X	×
1.B.H.	***	- vo	Black	Clean	•	Personnel	Spare	Deck	General	Anno.	Arano.	Aurino.
Pumber	Short Title	Type No.	Fue 1	Fuel	Complement	Replacement	Parts	Cargo	Stores	Surface	Subsurface	Air
0752	(A0S)-AVP-1, 695	0020	80000	9000	92200	052411	015512	0000	019410	0000	0000	00417
0740	AH-4,070	0012	0039	0000	0062	0674	2600	0000	0543		0000	0001
0220	AK	0156	0000	0004	9000	0156	0185	0000	9900	0003	0000	9000
0752	AKL	0001	0000	0001	0004	0078*	0179	0000	0034	1000	0000	000
0754	AKN	9000	0011	0000	0035	0682*	0675	0000	0304	2000	0000	0040
0756	AKS	0001	0016	0000	0021	1107	1059	0000	0184	0008	0000	2000
0940	AN-500	9000	0000	0001	0000	9600	0094	0000	0042	2000	0000	0003
0761	AN-545	0078	0000	0001	9000	0136	0097	0000	0042	2000	0000	0003
0220	Ψ0	0022	0041	0000	0029	0469	0185	0000	0249	9000	0000	2900
0771	Ψ0	0036	0033	0000	9000	0505	0178	0000	0223	0002	0000	0046
0772	40	0041	0031	0000	9200	0456	0178	0000	0223	0002	0000	0046
0773	Ψ0	6700	0031	0000	9200	0427	0178	0000	0223	0003	0000	00100
0840	A0G-2,020	0001	0000	0004	0012	0320	0148	0000	0104	8000	0000	2000
0781	Aog	9900	0000	2000	0012	0320*	0120	0000	0104	8000	0000	2000
0640	AP-22,800	0021	0120	0000	0072	0419	0297	0000	0631	2000	0000	0077
0791	AP-16.662	0074	0064	0000	0045	0639	0233	0000	0394	0023	0000	0000
0782	AP	0.110	9900	0000	0046	0763	0220	0000	0405	6000	0000	0000
080	APB	0035	0000	1000	0013	0215*	0084	0000	0116	1000	0000	0032
0802	APC	9600	0000	0000	0000	0051*	0217	0000	0027	0000	0000	0001
C804	APL	2000	0000	0000	4000	0107*	0005	0000	0062	1000	0000	2000
0810	AR-9,100	0002	0018	, 0000	8600	1666	0867	0000	0854	0010	0000	0055
0811	AR-9, 600	6000	0017	0000	9600	4211	0835	0000	0828	0005	0000	0022
					•							

Figures obtained by interpolation. *NOTE:

11Ref.-4 9Ref. -2 10Ref.-5

12Ref. -6

> 7Ref. -3 BRef.-1 0811

る再用

TABLE OF INDEPENDENT POTENTIALS FOR RESUPPLY OF FLEET UNITS

CONFIDENTIAL

						•						
		Navy							-			
		Serial	H	п	III	ΝI	>	M	VII	VIII	X	×
I.B.H.	-	ŧ	Black	Clean	 -	Personnel	Spare	Deck	General	Апшо.	America.	Area .
Lager	Short Title	Type No.	Fuel	Fuel	Complement	Replacement	Farts	Carso	Stores	Surface	Subsurface	Air
21.8	# 4	6400	86000	80000	9000	134111	074012		054210	7,000	70000	7270
0380	ARB	0001	0000	2000	9200	0622	0446		0226	0002	0000	0048
2200	ARG-4.800	2000	4000	0000	0054	0762	0555	0000	0469	9000	0000	0022
0824	ARG	9018	6200	0000	9900	1988	0640	0000	9545	2000	0000	0037
9280	ARH	0001	0000	0000	9600	6203	0894	0000	9380	8000	0000	0054
9280	ARL	0001	0000	2000	0025	0440	0489	0000	0219	0001	0000	0046
0630	ARS	9000	0000	2000	00010	0208	0.157	0000	0083	0001	9000	016
0833	ARSD	0601	0000	2000	9000	0124	0169	0000	0055	0001	0000	1000
0855	ARST	0001	0000	8000	0017	0161*	0134	0000	0147	0001	0000	1000
0640	ARV	1000	2000	0000	0036	0893	0239	0000	0317	2000	0000	9052
3400	ARVA	5000	0000	00003	6024	0625	0123	0000	9209	0001	0000	0034
0004	ARVE		0000	6003	10024	0625*	0123	0000	0204	0001	0000	303e
0880	AS-steam-10,700	2600	0010	0000	8600	0811	0810	0000	0827	8000	6000	0026
0851	AS-steam	0023	0011	0000	0095	1192	0810	0000	0827	8000	0000	9200
0852	AS-9,250	0011	0000	00100	0113	2205	6060	0000	1660	0016	0000	0054
0853	AS	0013	0000	8000	9600	1887	0895	0000	0827	9000	0000	8000
0980	ASR	0000	0000	5000	00100	00100	0156	0000	6800	0004	0000	0003
0861	ASR-1,780	2000	0000	5000	0010	0222	0158	0000	. 680c	6004	0000	5000
0862	ASR	0012	. 0000	0003	0010	0153	0157	0000	0084	0000	0000	0001
0820	ATA-600	0121	0000	. 1000	0002	2600	9800	0000	0960	. 1000	0000	2000
7Ref.	3 9Ref2	11 Ref	*	*NOTE:	Figures	obtained	by interpolation.	rpolati	lon.	:		!

.

建

FIDENTIAL

12Ref. - 6 11Ref. -4 9Ref. - 2 10 Ref. -5 7Ref.-3 9Ref. - 1

-V11-

理

C-O-N-F-I-D-E-N-T-I-A-L

REFERENCES

- 1. V. S. Navy Vessels Wartime Fuel Consumption, (CNO Serial 00104-P40, 2/21/50) (SECRET)
- 2. Bupers, List of Complements. (RESTRICTED)
- 3. Navord, Ammunition Allowance Lists. (RESTRICTED)
- 4. Muster Roll Recapitulation Sheet, (Nevpers 605-D)
 (UNCLASSIFIED)
- 5. Logistics Reference Data, (NavSandA publication 94. Par. 216, Table 216A, Pp. 2-14) (CONFIDENTIAL)
- 6. (a) Ordnance Equipment Lists, (Navord O.D. ---) (RESTRICTED)
 - (b) Buships Spare parts (from Buships Code 453, 9 April 1948)
 (UNCLASSIFIED)
 - (c) fabulated Data of Vessel Blectronic Maintenance Parts
 Stowage Requirements, (from BuShips Code 961, November 1960) (RESTRICTED)

-v111-

C-O-N-F-I-D-E-N-T-I-A-L


APPENDIX II

STANDARD CONDITIONS

)		TIME IN		AMMO.
ļ.	TIME	TIME NOT	REPAIR	AVGE.	CONSUMPTION
ORG.	UNDERWAY	UNDERWAY	OVERHAUL	SPEED	RATE
UNITS	% MO.	% MO.	% MO.	KTS.	PER MONTH
The man a state of the state of					
BB61	63	22	15	18.0	30
BB55	63	22	15	18.0	30
BB57	63	22	15	18.0	30
BB43	51	34	15	13.5	30
BB45	51	34	15	13.5	30
CB1	63	22	15	18.0	30
CA32	57	28	15	17.0	30
CA45	57	28	15	17.0	30
CA68	57	28	15	17.0	30
CA134 :	57	28	15	17.0	30
CL40	57	28	15	16.0	30
CLSS	57	28	15	16.0	. 30
CL144	87	28	15	16.0	30
CL (AA) 53	57	28	15	18.0	30
CVB41	63	22	15	18.0	80
CV9	63	22	15	18.0	30
CATSS	63	22	15	18.0	30
CVL48	63	22	15	18.0	30
CVE9	60	25	15	15.5	30
CAESE	60	25	15	15.5	30
CVE 55	60	25	15	15.5	30
CVE 105	60	25	15	15.5	30
DD421	60	30	10	19.0	30
DD423	60	30	10	19.0	30
DD445	60	30	10	19.0	30
DD692	60	30	10	19.0	30
DD710	60	30	10	19.0	30
CM5	20	72	8	16.0	13.34
DM23	50	40	10	15.5	13.34
DMS19	50	40	10	15.5	13.34
AM100	50	40	10	14.0	13.34
AM136	40	60	10	12.0	13.34
AM8410	40	50	10	9.0	13.34
AM8436	40	50	10	9.0	13.34
DE51	55	35	10	14.0	20
DE339	55	35	10	14.0	20
DE99	55	35	10	14.0	20
PC461	40	51	9	13.0	20
PCE881	40	51	9	13.0	20
PC81376	60	30	10	10.0	20
PT613	30	60	10	20.0	20

The figures in this column represent the percent of total allowance of amounttion. See Ref. -3






CONFIDENTIAL STANDARD CONDITIONS.

··						
			TIME IN		AMMO.	
000	TIME	TIME NOT	REPAIR	AVGE.	CONSUMPTION	
ORG.	UNDERWAY	UNDERWAY	OVERHAUL	SPEED	RATE	
UNIT	% MO.	% MO.	% MO.	KTS.	PER MONTH	
AGC1	20	70	10	15.0	13.34	
APA18	40	50	. 10	16.5	13.34	
APA21	40	50	10	16.5	13.34	
APA25	40	50	10	16.5	13.34	
APA33	40	50	10	16.5	13.34	
APA117	40	50	10	16.5	13.34	
AKA12	40	50	10	15.0	13.34	
APD37	45	4.5	10	15.0	13.34	
APD87	4.5	45	10	15.0	13.34	
DEC217	40	50.	10	16.0	13.34	
PCC463	30	61	9	9.0	13.34	
PCEC873	30	61	9	9.0	13.31	
LSV1	50	41	9	15.0	13.34	
LSD1	45	4.6	9	15.0	13.34	
LST1	30	61	9	8.0	13.34	
L8M1	30	61	9	8.0	13.34	
LSIL&M351	30	61	9	8.0	13.34	
LSFF367	30	61	9	8.0	13.34	
LSSL1	30	61	9	8.0	13.34	
L8U501	40	51	9	8.0	13.34	
AD14	15	77	8 .	15.0	13.34	
AD16	15	77	8	15.0	13.34	
AD20	15	77	8	15.0	13.34	
AD22	15	77	8	15.0	13.34	
AD26	15	77	8	15.0	13.34	
A S 2 2	15	77	8	15.0	13.34	
A823	15	77	8	15.0	13.34 '	
AS11	15	77	8	15.0	13.34	
1813	15	77	8	15.0	13.34	
ASR7	10	82	. 8	15.0	13.34	
ASR12 .	10	82	8	15.0	13.34	
AR5	10	82	8	15.0	13.34	
AR9	10	82	8	15.0	13.34	
AR19	10	82	8	13.0	13.34	
ARB1	10	82	8	9.0	13.34	
ARG18	10	62	8	15.0	13.34	
ARG2	10	82	8	10.0	18.84	
ARH1	10	82	8	17.6	13.34	
ARL1	10	82	8	10.0	13.34	
. V 7	15	75	10	14.0	13.34	
V 14	15	75	10	14.0	13.34	
174	15	75	10	14.0	13.34	






STANDARD CONDITIONS

IULI					
	;	1	TIME IN		AMMO.
	TIME	TIME NOT	REPAIR	AVGE.	CONSUMPTION
ORG.	UNDERWAY	UNDERWAY	OVERHAUL	SPEED	RATE
UNIT	% MO.	% MO.	% но.	KTS.	PER MONTH
AV8	15	75	10	14.0	13.34
AV10	15	75	10	14.0	13.34
AVP10	20	72	8	18.0	13.34
AVS8	35	55	10	11.0	13.34
ARV1	10	82	8	10.0	13.34
ARVA5	10	82	8	11.0	13.34
ARVE3	10	82	8	11.0	13.34
ARSS	10	82	8	13.0	13.34
ARSD1	10	82	8	12.3	13.34
ARET1	10	82	8	11.0	13.34
ATF87	50	42	. 8	12.0	13.34
ATF96	50	42	8	12.0	13.34
ATA121	35	57	8	10.0	13.34
AE 3	35	55	10	14.0	13.34
AE 10	35	55	10	13.7	13.34
AERO	35	55	10	11.0	13.34
AE12	35	85	10	14.0	13.34
AF10	35	55	10	11.0	13.34
AF28	35	55	10	11.0	13.34
AF48 c	35	55	10	11.0	13.34
AF30	35	55	10	11.0	13.34
AF11	85	55	10	11.0	13.34
AP21	48	42	10	18.5	13.34
AP110	48	42	10	18.5	13.34
AP74	48	42	10	18.5	13.34
APC86	35	55	10	10.0	13.34
AORE	55	35	10	15.0	13.34
A049	55	35	10	15.0 15.0	13.34
A036	56	35	10	15.0	13.34
A041	55	35	10	10.0	13.34
A0G1	80	62	1 1	10.0	13.34
A0068	30	62	10	11.0	13.34
AK156	40	50	10	10.0	13.34
AKL1	30	60	1	12.0	13.34
AKN6	20	72 60	10	12.0	13.34
AKS1	30	•	10	12.0	13.34
AKSEO	30	60	8	13.0	13.34
AW3	10	82	10	13.0	13.34
AOB1	50	40	8	14.0	13.34
AG818	60	32	8	11.0	13.34
AGS (AVPSO)	60	32 52	8	16.5	13.34
AH18	40	06			

-111-









STANDARD CONDITIONS

ORG. UNIT	TIME UNDERWAY & HO.	TIME NOT UNDERWAY % MO.	TIME IN REPAIR OVERHAUL % MO.	AVJE. SPEED KTS.	AMMO. CONSUMPTION RATE PER MONTH ²
ANG	20	72	8	8.0	13.34
AN78	20	72	8	8.0	13.34
APB35	10	62	8	8.0	13.54

FOR ALL TYPE SUBMARINES

Submarine data is not given in above form. Fuel consumption for submarines is computed on the basis of overhaul cycles.

AVGE. PATROL (DAYS)	TIME ENROUTE (DAYS)	TIME ON STATION (DAYS)	TIME UNDERWAY DURING CYCLE (DAYS)	LENGTH OF CYCLE (DAYS)	% OF TIME UNDERWAY
46	19	27	344	511	67.3

NOTE -- Standard Conditions for Spare Parts: 16.67% per month of total ordnance spare parts allowances; 33.33% per month of total electronic spare parts allowances; 8.85% per month of total ships, parts spare parts allowances.





CONFIDENTIAL SECURITY INFORMATION

APPENDIX III

CONVERSION FACTORS

	• • • • • • • • • • • • • • • • • • • 	
3	1	UNITS OF
POTENTIAL	FACTOR	MEASUREMENT
I	1	L. T. / DAY
īī	1	L. T. / DAY
14	10-3	MEN/DAY
٧ .	10-3	H.T./DAY
۸ı	1	YDS ² /DAY
ALI	10-3	M. T. / DAY
· VIII	10-2	L. T. / DAY
11	10 ⁻²	L. T. / DAY
x	10-2	L. T. /DAT
III	24 × 10 ^{-4*}	H. T. /DAY
111	95 x 10 ^{-4*}	H.T./DAY
111	23 × 10 ^{-3*}	M. T. / DAY
111	21 x 10 ^{-3*}	H.T./DAY
1		L.T./DAY
11	18 × 10 ^{-8**}	L. T. /DAY
I	884 × 10 ⁻⁵	L. T. /DAY
11	104 × 10 ⁻⁵	L. T. /DAY
	POTENTIAL I II IV V VII VIII IX X III III III II	POTENTIAL FACTOR

^{*}Based on Logistics Reference Data, Bayonne, New Jersey, Table 2024.

^{**}Bee APPENDIX I, Ref.-1, P. V111.